

GOVT. COLLEGE OF ENGINEERING AND RESEARCH, AWASARI

Awasari(Khurd) Tal: Ambegaon, Dist.Pune-412 405

Tel. No.02133-230582

E-Mail – gcoeara@gmail.com

FAX No. 02133-230583

Website : www.gcoeara.ac.in

No. GCOEARA/Store/2016-17/ 3426

Date: 20/10/2016

To,
As per addresses overleaf

Subject : Quotation for supply of Equipments (Civil Engineering- Surveying Lab)

Please send your quotation for the following items on the terms and conditions listed below, mentioning our reference letter number, date and due date of quotation on your sealed envelop, on or before **03.11.2016** at 5.00 P.M.

Sr.No.	Specification	Qty.	Unit
1	Micro-Optic Theodolite with 1 second Accuracy	1	No
(Detail scope of supply will be as per enclosed sheet)			

Terms & Conditons

- 1 Taxes – Inclusive / if extra clearly mention the percentage.
- 2 Delivery period –
- 3 Payment Terms –
- 4 Quotation Validity –
- 5 Warranty -
- 6 Guaranty-
- 7 Delivery Charges – Free / if extra mention clearly.
- 8 The part supply and its bill will strictly not be entertained.
- 9 If you fail to supply the stores within the specified period, the order will be treated at cancelled without any information.
- 10 The material will be accepted subject at approval(after inspection of the material),If rejected it will be returned to you at your cost.
- 11 The material to be supplied should be strictly according to the specification only.
- 12 Octroi is not applicable since Institute is located in Gram Panchayat area.
- 13 Please attach copy of your shop registration certificate alongwith your quotation, without which your quotation will not be accepted.

(Dr. A.S. Pant)

Principal

Govt.College of Engineering & Research Awasari
Awasari(khurd)

**GOVERNMENT COLLEGE OF ENGINEERING AND RESEARCH AVASARI (KD)
DEPARTMENT OF CIVIL ENGINEERING**

Sr. No.	Name of Equipments/Accessories/consumables with specifications	Quantity Required
	Surveying Lab	
1	<p>Micro-Optic Theodolite with 1 second Accuracy: The instrument should have direct one second least count using optical micro meter with optical aiming collimators on both side of telescope. It should facilitate mounting of distance meter on the theodolite. Technical specification of components of Theodolite are as follow: i) Telescope: Magnification = 30X, Clear objective aperture = 40 mm, Shortest focusing distance = 2 m (Normal) and 1.4 m (with short focusing lens), Multiplication Factor = 100, Additive constant = 0, Field view at 1000 m = 24 m; ii) Tribrach = 3 grooved, Circular level/2mm = 8', Plate level/2mm = 20"; iii) Vertical Index: Automatic, Type = Magnetic, Setting Accuracy = $\pm 0.3''$; Working Range = $\pm 3'$; iv) Glass Circles: 360°, Graduation on Horizontal and Vertical circle = 20', Least count of optical micrometer = 1"; v) Circle diameter: Horizontal circle = 90 mm, Vertical Circle = 70 mm; vi) Optical Plummet: In-alidade, Magnification = 3x; Angular field of view = 7°30", Focusing range = 0.3 to 6 m; vii) Standard Accessories: Carrying case, Cleaning Brush, Adjusting pin, Plumb bob, Screw driver, Lens cap</p>	1

Dr. S. B. Dhanale