





Govt of Maharashtra

GOVT. COLLEGE OF ENGINEERING AND RESEARCH, AWASARI

Awasari (Khurd) Tal: Ambegaon, Dist.Pune-412 405 E-Mail – gcoeara@gmail.com

Tel. No.02133-230582

Webesite: www.gcoeara.ac.in

No. GCOEARA/Store/2025/ 645

Date:

2 9 JAN 2025

To,

Mrs. P. V. Kulkarni / Mr. A. D. Chavan for display on college website

Subject: Quotation for repair & maintenance of RO water filter.

Please send your quotation for the following items on the terms and conditions listed below, mentioning our reference letter number, date and due date of quotation on your sealed envelop, on or before 03.02.2025 at 5.00pm.

Sr.No.	Specification	Qty.	Unit
1	50 LPH capacity RO water filter (Blue star)	6	No.
2	250 LPH capacity RO water filter (Industrial)	5	No.

Terms & Conditions

- 1 Taxes – Inclusive / if extra clearly mention the percentage.
- Delivery period -2
- Payment Terms -
- Quotation Validity -4

Mention clearly

- Warranty -
- Guaranty-
- Delivery Charges Free / if extra mention clearly.
- Before giving quotataion visit the institute check all RO filters and then give quotation mentioning details like parts required to change, also include labour charges and shifting charges.
- The part supply and its bill will strictly not be entertained. 9
- If you fail to supply the stores within the specified period, the order will be treated at cancelled without any information.
- The material will be accepted subject at approval(after inspection of the material), If rejected it 11 will be returned to you at your cost.
- The material to be supplied should be strictly according to the specification only. 12
- Octroi is not applicable since Institute is located in Gram Panychayat area.
- Please attach copy of your shop registration certificate and GST registration certificate alongwith your quotation, without which your quotation will not be accepted.
- 15 Quantity of RO filter may vary depending on the requirement & bill will be issued on the basis of actual work.

1/20/1/200 Govt.College of Engineering & Research, Awasari (khurd)